

Description Of Caseload Types

Caseload - Caseloads determine what individuals users are able to access.

The Therap System has the following types of caseloads: **AAIC** (All Admitted Individual Caseload), **AIC** (All Individual Caseload), **APC** (Auto Program Caseload), **Individual** Based Caseload and **Group** Caseload.

In the case of **AAIC**, This Caseload is **automatically created** in all provider types. Gives users access to all the individuals that are in Admitted status under a particular provider. A Profile with an AAIC cannot have other Caseloads added to it.


In the case of **AIC**, If you admit at least one individual in the system, the AIC (All Individual Caseload) will be **auto generated**. It gives users access to all the individuals that are under a particular provider. Users need not assign a separate Caseload to a user who has the ::AIC:: Caseload as he/she will have access to all the individuals.

In the case of **APC**, after creating a program in the system, an APC (Auto Program Caseload) will be **auto generated for** that **program**.

AAIC, AIC and **APC** types are **created** for you **automatically** by the system. In the cases of **Individual** or **Group Caseload**, users assigned with the **Caseload** role can create Individual or Group Caseloads if needed.

If you want to learn how to create Individual or Group Caseload, click here.





Descriptions for each of the above Caseload types are given below:

Caseload Types	Description
All Admitted Individual Caseload (::AAIC::)	All Admitted Individual Caseload gives users access to all the individuals that are in Admitted status under a particular provider.
All Individual Caseload (::AIC::)	All Individual Caseload (AIC) will allow access to all individuals in the system including those that have been discharged or marked deceased.
Auto Program Caseload (::APC::)	Auto Program Caseload (APC) includes all individuals enrolled within that particular program.
Individual Based Caseload	An Individual Based caseload consists of one or more individuals.



roup Caseload A Group Caseload is a collection of Auto Program Casel (APC) and Individual Based Caseloads.	loads
---	-------

To learn more about $\,$ Agency Wide and Administrative Roles click $\underline{here}.$